

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	17	(US-20040158766-\$ or US-20050034013-\$ or US-20040230863-\$).did. or (US-5005122-\$ or US-5644698-\$ or US-5920848-\$ or US-6115743-\$ or US-6154787-\$ or US-6292905-\$ or US-5608865-\$ or US-6810491-\$ or US-6920579-\$ or US-6920580-\$ or US-6978396-\$ or US-6202169-\$ or US-6223231-\$ or US-6378129-\$). did.	US-PGPUB; USPAT	OR	ON	2006/04/01 12:28
L3	5	2 and "time period"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 11:33
L4	328	Skeie	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 11:33
L5	2	"5,500,940".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 11:35
L6	16	(714/6).cccls. and ("time period" same server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 11:37
L7	5	(714/6).cccls. and (monitor with time same server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 12:29
L12	526	monitor\$3 with "pre-determined" with time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 12:30
L13	1717	(714/6).cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 12:29

EAST Search History

L14	0	12 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 12:30
L15	34	(monitor\$3 with "pre-determined" with time) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 13:01
L16	20	(detect\$3 with pre-determined with time) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 13:01
L17	476	(monitor\$3 with (error or fault or fail\$3) with time) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 13:03
L18	2	13 and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 13:02
L19	32	(monitor\$3 with (error or fault or fail\$3) with "time period") same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 13:03
S1	13	"657561"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 09:30
S2	12	("5,005,122" "5,644,698" "5,920,848" "6,115,743" "6,154,787" "6,292,905").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 09:41
S3	242	mirror\$3 same failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:22
S4	1714	(714/6).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:22

EAST Search History

S5	38	S3 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:22
S6	2	"stand in" and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:22
S7	6	"stand-in" and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:44
S8	6	S6 or S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:23
S9	44	S5 or S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:23
S10	28	"takeover" and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:30
S11	151	"take over" and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:45
S12	161	S10 or S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:28
S13	87	S12 and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:30
S14	4	("takeover" with server) and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:31

EAST Search History

S15	20	("take over" with server) and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:31
S16	22	S14 or S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:31
S17	17	(US-20040158766-\$ or US-20050034013-\$ or US-20040230863-\$).did. or (US-5005122-\$ or US-5644698-\$ or US-5920848-\$ or US-6115743-\$ or US-6154787-\$ or US-6292905-\$ or US-5608865-\$ or US-6810491-\$ or US-6920579-\$ or US-6920580-\$ or US-6978396-\$ or US-6202169-\$ or US-6223231-\$ or US-6378129-\$). did.	US-PGPUB; USPAT	OR	ON	2006/03/29 14:07
S18	12	S17 and monitor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:44
S19	15	S17 and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:14
S20	56112	S17 and GUI or "graphical user interface"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:44
S21	5	S17 and (GUI or "graphical user interface")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:44

EAST Search History

S22	17	(US-20040158766-\$ or US-20050034013-\$ or US-20040230863-\$).did. or (US-5005122-\$ or US-5644698-\$ or US-5920848-\$ or US-6115743-\$ or US-6154787-\$ or US-6292905-\$ or US-5608865-\$ or US-6810491-\$ or US-6920579-\$ or US-6920580-\$ or US-6978396-\$ or US-6202169-\$ or US-6223231-\$ or US-6378129-\$). did.	US-PGPUB; USPAT	OR	ON	2006/03/30 12:36
S23	5	synchroniz\$5 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 12:43
S24	2	snapshot and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 12:43
S25	1	"snap shot" and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 12:44
S26	2	S24 or S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 12:44
S27	2	S23 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 12:44
S28	17	(US-20040158766-\$ or US-20050034013-\$ or US-20040230863-\$).did. or (US-5005122-\$ or US-5644698-\$ or US-5920848-\$ or US-6115743-\$ or US-6154787-\$ or US-6292905-\$ or US-5608865-\$ or US-6810491-\$ or US-6920579-\$ or US-6920580-\$ or US-6978396-\$ or US-6202169-\$ or US-6223231-\$ or US-6378129-\$). did.	US-PGPUB; USPAT	OR	ON	2006/03/30 17:34

EAST Search History

S29	5	synchroniz\$5 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 17:05
S30	2	snapshot and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 16:30
S31	1	"snap shot" and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 16:30
S32	2	S30 or S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 17:50
S33	1	sync and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 17:06
S34	6	sync\$9 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 17:06
S35	3	async\$9 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 17:06
S36	7	S34 or S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 17:06



CrossRef Search

publisher pilot for full-text scholarly research

MORE INFO

Fill in the CrossRef Search Pilot [Web Survey!](#)

Feedback: crs@crossref.org

stand-in server monitoring

Search

powered by
Google

Web

Results 1 - 10 of about 185 for stand-in server monitoring. (0.37 seconds)

[PDF] [Peace Monitor](#)

File Format: PDF/Adobe Acrobat

off at Taba in 1/01 (see **Peace Monitor** in JPS ... a strong, united **stand in** support of the ... **server**" during security talks on 4/4, and fi- ...

caliber.ucpress.net/doi/abs/10.1525/jps.2001.30.4.111

[PDF] ["How Edge Are You?" Constructing Authentic Identities and ...](#)

File Format: PDF/Adobe Acrobat

ics **stand in** stark contrast to a mainstream consumerist ideology purveyed in popu- ... By **monitoring** the threads daily, we could guide conversations, ...

caliber.ucpress.net/doi/pdf/10.1525/si.2005.28.1.67

[PDF] [07 Porra lo](#)

File Format: PDF/Adobe Acrobat

ment **stand in** stark contrast to most Internet security. provisions. ... EDI/FEDI Internet **server**) is a step in the right direc- ...

portal.acm.org/ft_gateway.cfm?id=286251&type=pdf&dl=GUIDE&dl=GUIDE&CFID=15151515&CFTO...

[PDF] [Rx: Treating Bugs As Allergies— A Safe Method to Survive Software ...](#)

File Format: PDF/Adobe Acrobat

plemented using the xinetd daemon as its network **monitor**. Each ... failure, but merely acts as a **standin** until the **server** recovers. ...

portal.acm.org/ft_gateway.cfm?id=1095833&type=pdf

[[More results from portal.acm.org](#)]

[SpringerLink - Chapter](#)

Opportunistic resource allocation and **monitoring** are handled by distributed coordination algorithms, ... Remote Address: 66.249.71.57 • **Server**: MPWEB17 ...

dx.doi.org/10.1007/11683704_10

[PDF] [Extending Document Management Systems with User-Specific Active ...](#)

File Format: PDF/Adobe Acrobat

The operations that active properties can **monitor** ... document content from an IMAP **server** or a custom database. The Place- ...

dx.doi.org/10.1145/348751.348758

[PDF] [Strategic help in user interfaces for information retrieval](#)

File Format: PDF/Adobe Acrobat

stand in which situations a strategic support is desirable. Such situations are of two types: ... The

information retrieval server. This module provides the ...
doi.wiley.com/10.1002/asi.10035

[PDF] [Passing Encounters: Patterns of Recognition and Avoidance in ...](#)

File Format: PDF/Adobe Acrobat

For example, as people **stand in** line at the. grocery store, share an elevator ride, ... degree of **monitoring** as they approach and pass a stranger ...

www.leaonline.com/doi/abs/10.1207/S15324834BASP2401_5

[Analysis of an asymmetric resonant cavity as a beam monitor ...](#)

This experiment requires precise beam-position **monitoring** to permit accurate ... a tri-Gaussian as a simple **stand-in** for more realistic beam profiles. ...

link.aip.org/link/?RSINAK/70/2300/1

[PDF] [LiveInfo: Adapting Web Experience by Customization and Annotation](#)

File Format: PDF/Adobe Acrobat

notating web pages, as they can **stand in** the flow of data between. web browser and web server, **monitoring** user behavior and modifying. page markup. ...

www.springerlink.com/index/5Y3P2XM7076422TD.pdf

Result Page: 1 [2](#) [3](#) [4](#) [Next](#)

stand-in server monitoring

Search

[Search within results](#) | [Search Tips](#)

[Try your query on the entire web](#)